

Kavelmodel gemeente Etten-Leur (2024)

Waardegebied	Typeaanduiding	0	175	250	300	350	450	500	600	700	725	875	900	1000	1050	1200	1250	1275	1400	1500	1625	1750	2000	2250	2500	3000
EL001	A	400						160				100					60				32	16				
EL001	AW	400						160				100					60				32	16				
EL001	B	400			160				100				60			32				16						
EL001	BG	400				160				100					60					32			16			
EL001	C	400	160				100					60			32					16						
EL001	D	400	160				100					60			32					16						
EL001	G	175		70				43,76				26,26					14					7				
EL001	H	400	160				100					60			32					16						
EL001	J	400						160				100					60				32		16			
EL001	K	350						140				87,5					52,5				28		14			
EL001	X	400						160				100					60				32		16			
EL001	Y	400						160				100					60				32		16			
EL001	Z	0																								
EL010	A	400						160				100					60				32		16			
EL010	AW	400						160				100					60				32		16			
EL010	B	400			160				100				60			32					16					
EL010	BG	400				160				100					60					32			16			
EL010	C	400	160				100					60			32					16						
EL010	D	400	160				100					60			32					16						
EL010	G	175		70				43,76				26,26					14					7				
EL010	H	400	160				100					60			32					16						
EL010	J	400						160				100					60				32		16			
EL010	K	400						160				100					60				32		16			
EL010	X	400						160				100					60				32		16			
EL010	Y	400						160				100					60				32		16			
EL010	Z	0																								
EL011	A	440						176				110					66				35,2		17,6			
EL011	AW	440						176				110					66				35,2		17,6			
EL011	B	440			176				110				66			35,2					17,6					
EL011	BG	440				176				110					66					35,2			17,6			
EL011	C	440	176				110					66			35,2					17,6						
EL011	D	440	176				110					66			35,2					17,6						
EL011	G	175		70				43,76				26,26					14					7				
EL011	H	440	176				110					66			35,2					17,6						
EL011	J	440						176				110					66				35,2		17,6			
EL011	K	440						176				110					66				35,2		17,6			
EL011	X	440						176				110					66				35,2		17,6			
EL011	Y	440						176				110					66				35,2		17,6			
EL011	Z	0																								
EL012	A	400						160				100					60				32		16			
EL012	AW	400						160				100					60				32		16			
EL012	B	400			160				100				60			32					16					
EL012	BG	400				160				100					60					32			16			
EL012	C	400	160				100					60			32					16						
EL012	D	400	160				100					60			32					16						
EL012	G	175		70				43,76				26,26					14					7				
EL012	H	400	160				100					60			32					16						
EL012	J	400						160				100					60				32		16			
EL012	K	400						160				100					60				32		16			
EL012	X	400						160				100					60				32		16			
EL012	Y	400						160				100					60				32		16			
EL012	Z	0																								
EL020	A	400						160				100					60				32		16			
EL020	AW	400						160				100					60				32		16			
EL020	B	400			160				100				60			32					16					
EL020	BG	400				160				100					60					32			16			
EL020	C	400	160				100					60			32					16						
EL020	D	400	160				100					60			32					16						
EL020	G	175		70				43,76				26,26					14					7				
EL020	H	400	160				100					60			32					16						
EL020	J	400						160				100					60				32		16			
EL020	K	400						160				100					60				32		16			
EL020	X	400						160				100					60				32		16			
EL020	Y	400						160				100					60				32		16			
EL020	Z	0																								
EL025	A	400						160				100					60				32		16			
EL025	AW	400						160				100					60				32		16			
EL025	B	400			160				100				60			32					16					
EL025	BG	400				160				100					60					32			16			
EL025	C	400	160				100					60			32					16						
EL025	D	400	160				100					60			32					16						
EL025	G	175		70				43,76				26,26					14					7				
EL025	H	400	160				100					60			32					16						
EL025	J	400						160				100					60				32		16			
EL025	K	400						160				100					60				32		16			
EL025	X	400						160				100					60				32		16			
EL025	Y	400						160				100					60				32		16			
EL025	Z	0																								
EL030	A	400						160				100					60				32		16			
EL030	AW	400						160				100					60				32		16			
EL030	B	400			160				100				60			32					16					
EL030	BG	400				160				100					60					32			16			
EL030	C	400	160				100					60			32					16						
EL030	D	400	160				100					60			32					16						
EL030	G	175		70				43,76				26,26					14					7				
EL030	H	400	160				100					60			32					16						
EL030	J																									



